



SAFETY DATA SHEET NATURE PAINT

According to Regulation (EC) No 1907/2006

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME NATURE PAINT
APPLICATION Paint
SUPPLIER Nature Paint Ltd
 Unit 5 March Lane Industrial
 Estate
 Hayle
 Cornwall
 TR27 5JR
 Tel: 0845 3670140
 email: info@naturepaint.com

EMERGENCY TELEPHONE 0845 367 0140
 09:00 - 17:00

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

HUMAN HEALTH

Dust may irritate the eyes and the respiratory system. See section 11 for additional information on health hazards.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
CALCIUM HYDROXIDE	215-137-3	1305-62-0	0.5-5.0%	Xi;R41.
CELLULOSE FIBRES	232-674-9	9004-34-6	0.5-5.0%	-
KAOLIN CLAY	310-194-1	1332-58-7	36-50%	-
MAGNESIUM SILICATE	238-877-9	14807-96-6	10-30%	Xn;R20. Xi;R37.
TITANIUM DIOXIDE	236-675-5	13463-67-7	10-30%	-

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Dust may irritate respiratory system or lungs. Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

May cause discomfort if swallowed. Rinse mouth thoroughly. Get medical attention.

SKIN CONTACT

Remove contaminated clothing immediately and wash skin with soap and water.

NATURE PAINT

EYE CONTACT

Particles in the eyes may cause irritation and smarting. Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials.

PROTECTIVE MEASURES IN FIRE

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

ENVIRONMENTAL PRECAUTIONS

Avoid discharge to the aquatic environment.

SPILL CLEAN UP METHODS

Collect spillage with shovel, broom or the like and reuse, if possible. Avoid generation and spreading of dust. Flush with plenty of water to clean spillage area.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Read and follow manufacturer's recommendations. Keep out of the reach of children Avoid handling which leads to dust formation. Avoid inhalation of dust and contact with skin and eyes. Wash hands after handling.

STORAGE PRECAUTIONS

Store in a cool and well-ventilated place. Keep containers tightly closed.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
CALCIUM HYDROXIDE	WEL		5 mg/m3			
CELLULOSE FIBRES	WEL		4 mg/m3		20 mg/m3	
KAOLIN CLAY	WEL		2 mg/m3			
MAGNESIUM SILICATE	WEL		1 mg/m3			
TITANIUM DIOXIDE	WEL		4 mg/m3			

WEL = Workplace Exposure Limit.

INGREDIENT COMMENTS

Both the cellulose fibres and titanium dioxide also have total inhalable exposure values of 10 mg/m³ for an 8 hour period.

RESPIRATORY EQUIPMENT

If exposure limits are likely to be exceeded wear suitable dust mask.

HAND PROTECTION

No specific hand protection noted, but gloves may still be advisable.

EYE PROTECTION

Wear dust resistant safety goggles where there is danger of eye contact.

NATURE PAINT

HYGIENE MEASURES

Wash promptly if skin becomes contaminated. When using do not eat, drink or smoke. Wash hands after handling.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Powder, dust
COLOUR	Misc. colours
ODOUR	Earthy.

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

11 TOXICOLOGICAL INFORMATION

INHALATION

Dust may irritate respiratory system.

INGESTION

May cause discomfort if swallowed.

EYE CONTACT

Particles in the eyes may cause irritation and smarting.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

The product is not expected to be hazardous to the environment.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Avoid discharge to the aquatic environment. Recover and reclaim or recycle, if practical.

14 TRANSPORT INFORMATION

GENERAL

The product is not covered by international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID).

15 REGULATORY INFORMATION

RISK PHRASES

NC Not classified.

SAFETY PHRASES

NC Not classified.

NATURE PAINT

EU DIRECTIVES

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

STATUTORY INSTRUMENTS

Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE

Classification and Labelling of Substances and Preparations Dangerous for Supply.

GUIDANCE NOTES

Workplace Exposure Limits EH40.

16 OTHER INFORMATION

REVISION COMMENTS

This is first issue.

REVISION DATE 01-2010

RISK PHRASES IN FULL

NC	Not classified.
R20	Harmful by inhalation.
R37	Irritating to respiratory system.
R41	Risk of serious damage to eyes.